



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR        | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|-----------------------------|---------------------|------------------|
| 10/572,671      | 03/20/2006  | Christopher Norbert Johnson | PB60516             | 4589             |

20462

7590

07/08/2008

SMITHKLINE BEECHAM CORPORATION  
CORPORATE INTELLECTUAL PROPERTY-US, UW2220  
P. O. BOX 1539  
KING OF PRUSSIA, PA 19406-0939

EXAMINER

BERNHARDT, EMILY B

ART UNIT

PAPER NUMBER

1624

NOTIFICATION DATE

DELIVERY MODE

07/08/2008

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

US\_cipkop@gsk.com

**Application No.**

**Applicant(s)**

10/572,671

JOHNSON ET AL.

***Response to Rule 312 Communication***

**Examiner**

**Art Unit**

EMILY BERNHARDT

1624

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

1. ☒ The amendment filed on 30 June 2008 under 37 CFR 1.312 has been considered, and has been:

a) ☒ entered.

b) ☐ entered as directed to matters of form not affecting the scope of the invention.

c) ☐ disapproved because the amendment was filed after the payment of the issue fee.

Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

d) ☐ disapproved. See explanation below.

e) ☐ entered in part. See explanation below.

The change requested is to correct an obvious omission.

/Emily Bernhardt/  
Primary Examiner, Art Unit 1624